Journal of Mammalogy, 87(6):1293–1294, 2006

JOURNAL OF MAMMALOGY
INDEX TO VOLUME 87

Authors

Altbäcker, V., 54
Álvarez-Castañeda, S. T., 677
Andersen, R., 75, 1218
Ando, M., 784
Anthony, R. G., 618
Antinuchi, C. D., 1183
Arbogast, B. S., 950
Arocena, J. M., 878
Asa, C. S., 723
Aspi, J., 281
Atkinson, S., 304
Ayotte, J. B., 878
Baker, R. J., 643
Bakker, V. J., 124
Balestrieri, A., 855
Bank, M. S., 41
Barber, A. M., 571
Barclay, R. M. R., 362, 1020
Barkati, S., 784
Barrett, G. W., 102
Bassett, S. M., 216
Bautista, A. P., 1037
Baylac, M., 1270
Bearzi, M., 606
Beck, H., 519
Begley, J. S., 371
Ben-David, M., 485
Bennett, N. C., 60, 67, 1078
Bernasconi, S. M., 889
Best, P. B., 866
Bickham, J. W., 688
Bigelow, S., 402
Bixler, A., 944
Blackwell, G. L., 216
Blois, J. L., 950
Bloomer, P., 545
Bonato, V., 915
Bouchie, L., 60
Boutin, S., 909
Bowman, J., 480
Boyce, M. S., 1112
Bozinovic, F., 834
Brack, V., Jr., 7
Bradley, R. D., 643, 668, 961
Branch, L. C., 495
Brigham, R. M., 345
Busch, C., 108
Byers, J. A., 312
Calderón, G. E., 848
Cameron, G. N., 1103
Cancino, R. A., 971
Cardini, A., 201
Carling, M. D., 312
Carroll, D. S., 262, 427
Cervantes, F. A., 748
Charrier, I., 929
Chen, S.-F., 1234
Chen, Y.-J., 247
Chiappero, M. B., 848
Chimimba, C. T., 67, 545
Christopher, C. C., 102
Clarke, J. A., 1072
Codron, D., 27
Codron, J., 27
Conroy, M. J., 394
Coppeto, S. A., 402
Cordeiro-Estrela, P., 1270
Cozzuol, M. A., 663
Crabtree, R. L., 287
Craig, M. T., 1204
Crain, S., 97
Crait, J. R., 485
Cramer, M. J., 1103
Croft, D. A., 1037
Cuautle, L., 683
Cutrera, A. P., 108, 706, 1183
Dahle, B., 510, 859
Dale, B. W., 85
Damon, I. K., 262, 427
da-Silva, C. Q., 915
Dayan, T., 48
De Los Reyes, M., 663
de Ruiter, D. J., 27
DeCesare, N. J., 531
Dechmann, D. K. N., 1013
Delives, M., 899
DeMatteo, K. E., 723
Denys, C., 1270
Dickman, C. R., 216
Diefenbach, D. R., 394
Dietz, C., 1241
Dietz, I., 1241
Donovan, D., 480
dos Reis, S. F., 915
Doty, J. B., 131
Dowler, R. C., 131
Dunbar, M. B., 1096
Eason, T. H., 255
Ebensperger, L. A., 834
Edwards, P. J., 889
Eick, G. N., 161
Eilam, D., 48
Ekschmitt, K., 93
Elias, B. A., 921
Elias, S. P., 440
Elwen, S., 866
Encarnação, J. A., 93
Engstrom, M. D., 238
Erb, J. D., 740
Espinosa-Gayosso, C. V., 677
Espinoza, E., 683
Farías, V., 748
Feighny, J. A., 1072
Fernández-Gil, A., 899
Finarelli, J. A., 1027
Flynn, J. J., 1037
Foresman, K. R., 265
Fracassi, N. G., 1132
Franklin, W. L., 41
Frey, J. K., 1175
Fuller, T. K., 748
Gannon, W. L., 171
García, A., 324
García, B. A., 848
García, M., 683
Gardenal, C. N., 848
Getz, L. L., 387, 841
Giannini, N., 993
Giannoni, S. M., 834
Giddings, B. J., 265
Gillingham, M. P., 878
Glendenning, K. K., 554
Goin, G., 663
Goldizen, A. W., 461
Gompper, M. E., 501
Gonçalves, E., 238
Goodwin, H. T., 1002
Gorman, T. A., 740
Goswami, A., 993
Grady, F. V., 148
Grant, R. C., 27
Gregorin, R., 238
Hafner, J. C., 1204
Hakala, A., 281
Hammond, E. L., 618
Hannon, M. J., 287
Hansen, L. A., 394
Hanser, S. E., 1165
Hanson, B., 262, 427
Harcourt, R. G., 929
Hart, L., 1078
Haupt, M., 351
Hayes, J. P., 454
Hayward, M. W., 1122
Heaney, L. R., 1037
Heikkinen, S., 281
Hobgood, W., 262
Hofmann, J. E., 387, 841
Hofmeyr, M., 1122
Hoofer, S. R., 981
Horáček, I., 981
Horner, P., 668
Humphries, M. M., 909
Hunter, M. L., Jr., 440
Huntly, N. J., 1165
Hurtado, M. J., 834
Huso, M. M. P., 454
Hussein, N. A., 790
Hutson, C. L., 427
Ilmoni, C., 281
Isenhour, A., 446
Jackson, T., 60
Jacobs, D. S., 161
Jameson, R. J., 799
Jaroszewska, M., 589
Jarvis, J. U. M., 1078
Jenkins, S. H., 287, 571
Jenks, J. A., 598
Jones, G., 1234
Kalko, E. K. V., 331
Karem, K., 262
Kasiki, S. M., 193
Kaufman, D. W., 628, 777
Kaufman, G. A., 628, 777
Kays, R. W., 193, 808
Keane, B., 446
Kelm, D. H., 1
Kelt, D. A., 402
Kerley, G. I. H., 1122
Kierdorf, U., 93
Kistler, K. D., 371
Kittlein, M. J., 1192

Kleiman, D. G., 723
Kojola, I., 281
Koósz, B., 54
Koprowski, J. L., 380
Kotze, P. G. H., 866
Kreuzer, M., 889
Kronfeld-Schor, N., 48
Kurta, A., 19
Kyle, C. J., 272
Lacey, E. A., 108, 706
Lagaria, A., 563
Laidre, K. L., 799
Lambert, T. D., 766
LaMontagne, J. M., 909
Lamson, R. S., 921
Landa, A., 75
Larivière, S., 717
Lausen, C. L., 362
LaVal, R. K., 7
Lee, J.-K., 247
Lee-Thorp, J. A., 27
Lehmkuhl, J. F., 371
León, C., 834
Leslie, D. M., Jr., 539, 598
Lessa, E. P., 1192
Lew, D., 224
Li, G., 1234
Liang, B., 339
Lim, B. K., 238
Lin, L.-K., 2474
Lin, Y. K., 446
LoFroth, E. C., 265
Longhofer, L. K., 961
Longland, W. S., 571
Lopez, R. L., 262
Lorenzo, C., 683, 748
Luděk, B., 35
Ma, J., 339
Macías, S., 324
Maichak, E. J., 539
Malaney, J. L., 1175
Malcolm, J. R., 766
Maniscalco, J. M., 304
Marinho-Filho, J., 1270
Martin, D. J., 740
Martins, E. G., 915
Matthee, C. A., 161
McCown, J. W., 255
McFadden, K. W., 501
McGuire, B., 387, 841
McKelvey, K. S., 265
McMillan, B. R., 740
McNay, M. E., 85
Mech, L. D., 80
Medellín, R. A., 501
Meikle, D. B., 117
Menzler, S., 351
Messier, F., 717
Metzner, W., 339
Meÿer, M. A., 866
Milne-Laux, S., 296
Mora, E. C., 324
Mora, M. S., 1183, 1192
Moreno, R. S., 808
Morgan, C. C., 1252
Moyer, M. A., 255
Mucci, N., 855
Muizniek, B., 427
Munro, R. H. M., 1112
Murray, A. L., 571
Muteka, S. P., 67
Naves, J., 899
Naxara, L., 757
Neubaum, D. J., 470
Nielsen, S. E., 1112
O'Brien, J., 1122
O'Farrell, M. J., 1145
O'Riain, J., 1078
O'Shea, T. J., 470, 1061
Okraska, C. R., 262
Oli, M. K., 255, 387, 841
Olson, S. L., 148
Oshida, T., 247, 784
Paise, G., 733
Palma, R. E., 971
Papes, M., 427
Pardini, R., 757
Parker, K. L., 878
Parker, P., 304
Parsons, S., 1234
Pasch, B., 380
Patterson, B. D., 193
Pereira, J. A., 1132
Pérez-Hernández, R., 224
Perry, N. D., 262, 427
Persson, J., 75
Peters, L. R., 272
Petersen, S. D., 153
Peterson, A. T., 427
Pilgrim, K. L., 265
Pinter-Wollman, N., 48
Pitt, J. A., 717
Pletscher, D. H., 531
Pluháček, J., 35
Poché, L. B., Jr., 1061
Porton, I. J., 723
Pretzlaw, T., 909
Price, M. H., 1112
Prigioni, C., 855
Priore, G., 855
Rachlow, J. L., 827
Rácz, G. R., 171
Randa, L. A., 1154
Randi, E., 855
Ranzi, A., 663
Reddington, E., 1204
Reed, A. W., 433, 777
Regnery, R. L., 427
Rehmeier, R. L., 628
Remonti, L., 855
Reynolds, M. G., 427
Riddle, B. R., 1145
Rodríguez, C., 899
Rodríguez-Serrano, E., 971
Rogers, D. S., 1218
Ronkainen, S., 281
Rosatte, R. C., 480
Rossiter, S. J., 1234
Russo, I.-R. M., 545
Ryckman, E. M., 1002
Safi, K., 1013
Sambrotto, R. N., 501
Samudio, R., Jr., 808
Sánchez, F., 1140
Sánchez-Villagra, M. R., 993
Sarno, R. J., 41
Sayler, R. D., 921
Schmidt, S., 351
Schnitzler, H.-U., 331
Schoeman, M. C., 161
Schooley, R. L., 495
Schuler, K. L., 539
Schwanz, L. E., 1086
Schwartz, M. K., 265
Sebestyen, V. M., 193
Segerström, P., 75
Sgrosso, S., 855
Shafique, C. M., 784
Shaw, J. H., 539
Shipley, L. A., 921
Siemers, B. M., 1241
Sigg, D. P., 461
Slade, N. A., 97, 433
Smith, S. C., 700
Smolen, M. J., 688
Solick, D. I., 1020
Solomon, N. G., 446
Soto-Centeno, J. A., 19
Sponheimer, M., 27
Stenhouse, G. B., 1112
Stephenson, T. R., 85
Stern, H. S., 41
Stewart, D. T., 153
Støen, O.-G., 859
Strait, S. G., 700
Sudman, P. D., 668
Sunnucks, P., 690
Svancara, L. K., 827
Swanson, A. K., 287
Swanson, B. J., 272
Swanson, S., 866
Sweitzer, R. A., 296
Swenson, J. E., 510, 859
Tang-Martinez, Z., 944
Taraborelli, P., 834
Taylor, A. C., 690
Thies, W., 331
Thorington, R. W., Jr., 201
Thornton, M., 866
Tomasi, T. E., 1096
Treydte, A. C., 889
Trudeau, C., 909
Turbill, C., 312
Uhart, M. M., 1132
Umetsu, F., 757
Váczi, O., 54
Van Den Bussche, R. A., 981
Van Vuren, D. H., 402
Vassallo, A. I., 939, 1183, 1192
Ventura, J., 224
Verzi, D. H., 1252
Víchová, J., 35
Vieira, E. M., 733
Vinkey, R. S., 265
Voigt, C. C., 1
Vonhof, M. J., 1013
Voss, C. M., 345
Wake, T. A., 139
Waldien, D. L., 454
Walker, F. M., 690
Wallace, S. C., 1261
Warren, R. J., 394
Waterman, J. M., 60
Weksler, M., 1218
Werth, A. J., 579
Wickliffe, J. K., 668
Wiens, F., 790
Wilczyńska, B., 589
Wilder, S. M., 117
Williams, J. A., 1145
Williamson, K. E., 1072
Willis, C. K. R., 345
Wilson, J. A., 402
Wilson, K. R., 470
Wiseman, P. A., 312
Witham, J. W., 440
Wolters, V., 93
Youlatos, D., 563
Yunger, J. A., 1154
Zedrosser, A., 510
Zhang, J., 339
Zhang, L., 339
Zhang, S., 339, 1234
Zimmerman, B. L., 766
Zimmerman, T. J., 598
Zitzmann, A., 790

Journal of Mammalogy, 87(6):1295–1306, 2006

Subjects

(New names in *italic* type)

3-dimensional habitat space:
  Ochrotomys nuttalli, 102
  Peromyscus leucopus, 102

A
Abrothrix:
  olivaceus, 971
  olivaceus tarapacensis, 971
Abundance:
  Amazonian small mammal abundances related to habitat structure and resource abundance, 766
  Clethrionomys gapperi, 440
  Dipodomys insularis, 677
  habitat associations of small mammals in northern Sierra Nevada, 401
  Lepus americanus, 480
  mark-recapture estimates of small mammal populations, 618
  Martes pennanti, 440
  mowing strip impact on rodents, 97
Accuracy, in measurement error in small-mammal studies, 215
Acomys:
  cahirinus, 48
  russatus, 48
Acorns, vole population dynamics and, 440
Acoustic cues, of Neophoca cinerea, 929
Acoustic monitoring, of bats in riparian corridor of the Mojave Desert, 1145
Activity pattern:
  Carollia castanea, 330
  Ctenomys talarum, 1183
  Lontra canadensis, 485
  Oxymycterus nasutus, 733
  Peromyscus maniculatus, 628
  Spermophilus citellus, 54
  Spermophilus mexicanus, 1086
  Ursus arctos, 1112
Aethomys:
  chrysophilus, 545
  ineptus, 545
  namaquensis, 67
Africa:
  Aethomys (2 spp.), 545
  Aethomys namaquensis, 67
  Bathyergus suillus, 1078
  Cephalorhynchus heavisidii, 866
  Cricetomys (2 spp.), 427
  Loxodonta africana, 27
  Lycaon pictus, 1122
  Phacochoerus africanus, 889
  Scotophilus (2 spp.), 161
  Xerus inauris, 60
African giant pouched rat, 427
African wild dog, 1122
Aggregation, mixed species:
  sea lions and dolphins, 606
Aggression:
  Acomys (2 spp.), 48
  subordinate behavior in Lama guanicoe, 41
Akaike information criterion, 1027
Alaska:
  Canis lupus, 85
  Eumetopias jubatus, 303
  Tamiasciurus hudsonicus, 124
Alberta:
  Eptesicus fuscus, 361
  Myotis evotis, 1020
  Ursus arctos, 1112
Alces alces, 280, 878
Alcohol dehydrogenase gene sequences:
  Neotoma (13 spp.), 961
Alimentary canal:
  Sorex araneus, 589
Allometry:
  Marmota (7 spp.), 201
Allopatry:
  Myotis (2 spp.), 171
Allozymes, of spiny pocket mice, 1218
Amazonia:
  Didelphis solimoensis, 663
  small mammal abundances related to habitat structure and resource abundance, 766
American bison, 539
American marten, 272
Amplified fragment length polymorphism (AFLP):
  Arborimus pomo, 950
Analysis of variance, in small-mammal studies, 215
Andean clade, of sigmodontines, 971
Anoa, 1037
Antechinus stuartii, 216
Anthropogenically altered habitats:
  Eptesicus nilssonii, 351
Antilocapra americana, 311
Antipredator behavior:
  Spermophilus armatus, 286
Antrozous pallidus, 1145
Aplodontia rufa, 139
Arboreal mammals:
  Callosciurus erythraeus, 246
  Eoglaucomys fimbriatus, 784
  Nycticebus coucang, 790
  Petaurista petaurista, 784
Arborimus pomo, 950
Archaeology:
  Aplodontia rufa, 139
Argentina:
  Calomys musculinus, 848
  Ctenomys australis, 1192
  Ctenomys talarum, 108, 706, 939, 1183
  Microcavia australis, 834
  Oncifelis geoffroyi, 1132
Argentine hemorrhagic fever, 848
Arizona:
  Sciurus nayaritensis chiricahuae, 379
Arousal patterns:
  Lasiurus borealis, 1096
Asia:
  Bubalus cebuensis, 1037
  Callosciurus erythraeus, 246
  Eoglaucomys fimbriatus, 784
  Nycticebus coucang, 790
  Petaurista petaurista, 784
  Rhinolophus (4 spp.), 1234
Atlantic Forest:
  pitfall traps for sampling small mammals in Neotropics, 757
  Thyroptera (4 spp.), 237
Augmentation:
  Martes pennanti, 264
Australia:
  Antechinus stuartii, 216
  Chalinolobus morio, 317
  Lasiorhinus latifrons, 690
  Mus domestica, 216
  Neophoca cinerea, 929
  Notomys alexis, 216
  Onychogalea fraenata, 461
  Sminthopsis youngsoni, 216
Australian sea lions, 929
Autocorrelation, in cotton rat survival study, 433

B
Banding:
  Myotis daubentonii, 93
Barro Colorado Island:
  Leopardis pardalis, 808
  Puma concolor, 808
Bateson-Dobzhansky-Muller model, 643
Bathyergus suillus, 1078
Bats:
  Carollia castanea, 330
  Carollia perspicillata, 1
  Chalinolobus morio, 317
  Corynorhinus townsendii, 1145
  Desmodus rotundus, 1
  Eptesicus fuscus, 344, 361, 470, 1145
  Eptesicus nilssonii, 350
  Erophylla sezekornii, 19
  Euderma maculatum, 1145
  Lasionycteris noctivagans, 1145
  Lasiurus (2 spp.), 148
  Lasiurus (3 spp.), 1145
  Lasiurus borealis, 1096
  Macrotus californicus, 1145
  Monophyllus redmani, 19
  Mormoops blainvilli, 324
  Myotis (2 spp.), 171
  Myotis (3 spp.), 1145
  Myotis daubentonii, 93
  Myotis evotis, 1020
  Myotis grisescens, 7
  Myotis ricketti, 338
  Nyctinomops macrotis, 1145
  Parastrellus hesperus, 981
  Perimyotis subflavus, 981
  Pipistrellus hesperus, 981, 1145
  Pipistrellus subflavus, 148, 981
  Pteronotus (3 spp.), 323
  Rhinolophus (4 spp.), 1234
  Rhinolophus (5 spp.), 1241
  Rousettus aegyptiacus, 1140
  Rousettus amplexicaudatus, 993
  Scotophilus dinganii, 161
  Tadarida brasiliensis, 1145
  Thyroptera (4 spp.), 237
  Thyroptera tricolor, 1013
Bear:
  brown, 510, 859, 899
  Florida black, 254
  grizzly, 1112
Beaver, mountain, 139

Behavioral response:
mark-recapture estimates of small mammal populations, 618
Bermuda:
Lasiurus (2 spp.), 148
Pipistrellus subflavus, 148
Big brown bat, 344, 361, 470
Bighorn sheep, Rocky Mountain, 531
Bioelectrical impedance analysis:
Procyon lotor, 717
Biogeographic cline:
Myotis (2 spp.), 171
Biogeography:
Glaucomys volans, 153
Lepus americanus, 1175
Microdipodops megacephalus, 1204
small mammals of fragmented sagebrush-steppe landscapes, 1165
Sylvilagus nuttallii, 1175
Birth rate:
Gulo gulo, 75
Birth site:
Antilocapra americana, 311
Birth timing:
Eumetopias jubatus, 303
Bison bison, 539
Black bear, Florida, 254
Black Hills:
Odocoileus (2 spp.), 598
Black-tailed prairie dog, 295
Blarina brevicauda, 700
Bobcat, 393
Body composition, in Procyon lotor, 717
Body condition:
Peromyscus leucopus, 1103
Procyon lotor, 717
Body mass:
Canis lupus, 80
Myotis daubentonii, 93
Spermophilus mexicanus, 1086
Body size:
Bubalus cebuensis, 1037
Cephalorhynchus heavisidii, 866
Eoglaucomys fimbriatus, 784
Myotis evotis, 1020
Petaurista petaurista, 784
Ursus arctos, 510, 859
Bot fly parasitism, 1103
Bottlenose dolphin, 606
Bovini:
Bubalus cebuensis, 1037
Brachylagus idahoensis, 827, 921
Brain allometry, in Carnivora, 1027
Brazil:
Amazonian small mammal abundances related to habitat structure and resource abundance, 766
Calomys (2 spp.), 1270
Didelphis solimoensis, 663
Gracilinanus microtarsus, 915
Oxymycterus nasutus, 733
pitfall traps for sampling small mammals in Neotropics, 757
Thyroptera (4 spp.), 237
Brazilian gracile mouse opossum, 915
Bridled nailtail wallaby, 461
British Columbia:
Alces alces, 878
Cervus elaphus, 878
Oreamnos americanus, 878
Ovis dalli stonei, 878
Brown antechinus, 216
Brown bear, 510, 859, 899
Brown flower bat, 19
Bubalus cebuensis, 1037
Bugle call:
Cervus elaphus, 1072
Buildings, roosting of Eptesicus fuscus in, 361
Burrow use:
Brachylagus idahoensis, 921
Lasiorhinus latifrons, 690
Microcavia australis, 834
Bush dog, 723
Bushy-tailed woodrat, 370

C
Cache distribution:
Dipodomys merriami, 571
California:
Aplodontia rufa, 139
Delphinus (2 spp.), 606
Glaucomys sabrinus, 401
Microdipodops megacephalus, 1204
Microtus (2 spp.), 401
Neotamias (2 spp.), 401
Peromyscus maniculatus, 401
Spermophilus (2 spp.), 401
Tursiops truncatus, 606
Zalophus californianus, 606
California ground squirrels, 401
California sea lions, 606
Callosciurus erythraeus, 246
Calomys:
expulsus, 1270
musculinus, 848
tener, 1270
Campos de Altitude:
Oxymycterus nasutus, 733
Canada:
Alces alces, 878
Cervus elaphus, 878
Eptesicus fuscus, 361
Erethizon dorsatum, 480
Glaucomys volans, 153
Lepus americanus, 480
Martes pennanti, 480
Myotis evotis, 1020
Oreamnos americanus, 878
Ovis dalli stonei, 878
Procyon lotor, 717
Sylvilagus floridanus, 480
Tamiasciurus hudsonicus, 909
Ursus arctos, 1112
Canis:
latrans, 1154
lupus, 80, 85, 280
Canonical correspondence analysis, of habitat associations of small mammals in Sierra Nevada, 401
Cantabrian Mountains:
Ursus arctos, 899
Cape dune mole-rat, 1078
Cape ground squirrel, 60
Capture probabilities:
mark-recapture estimates of small mammal populations, 618
Oxymycterus nasutus, 733
pitfall traps for sampling small mammals in Neotropics, 757
CAPTURE program:
mark-recapture estimates of small mammal populations, 618
Capture-recapture studies:
estimates of small mammal population parameters, 618
Gracilinanus microtarsus, 915
Sigmodon hispidus, 433
Carbonates, in lick soils, 878
Carbon isotope:
Loxodonta africana diet study, 27
vampire bat host preference study, 1
Carnivore:
Canis latrans, 1154
Canis lupus, 80, 85, 280
Enhydra lutris kenyoni, 799
estimation of endocranial volume, 1027
Gulo gulo, 75
Leopardis pardalis, 808
Lontra canadensis, 485
Lycaon pictus, 1122
Lynx rufus, 393
Martes pennanti, 264, 480
Oncifelis geoffroyi, 1132
Procyon lotor, 717, 1154
Procyon pygmaeus, 501
Puma concolor, 808
Ursus arctos, 510, 859, 899, 1112
Vulpes vulpes, 1154
Carollia:
castanea, 330
perspicillata, 1
Cascade Range:
Neotoma cinerea occidentalis, 370
Cat, Geoffroy's, 1132
Caves:
maternity, for Myotis grisescens, 7
Cavity, tree:
Eptesicus fuscus, 344
Cavy, southern mountain, 824
Cephalorhynchus heavisidii, 866
Cerrado:
Calomys (2 spp.), 1270
Thyroptera (4 spp.), 237
Cervus elaphus, 878, 1072
Cetacea:
Cephalorhynchus heavisidii, 866
evolution of suction feeding, 579
Chalinolobus morio, 317
Character displacement:
Myotis (2 spp.), 171
Chestnut short-tailed bat, 330
Chiapan deer mouse, 683
Chihuahua Desert, 1086
Chile:
Abrothrix olivaceus, 971
Lama guanicoe, 41
China:
Myotis ricketti, 338
Chipmunk:
long-eared, 401
shadow, 401
Townsend's, 454
Chiricahua fox squirrel, 379
Chiroptera:
Chalinolobus morio, 317
Desmodus rotundus, 1
Eptesicus fuscus, 344, 361
Lasiurus (2 spp.), 148
Myotis evotis, 1020
Pipistrellus subflavus, 148
Rhinolophus (4 spp.), 1234
Rhinolophus (5 spp.), 1241
Rousettus amplexicaudatus, 993
Thyroptera tricolor, 1013
Chocolate wattled bats, 317
Chromosome studies, of Microdipodops megacephalus, 1204
Classification, of Vespertilionidae, 981
Clethrionomys gapperi, 440
Climate effects, on lion mane, 193
Coexistence:
Dipodomys merriami, 571
Peromyscus leucopus and Ochrotomys nuttalli, 102

Colony expansion:
Cynomys ludovicianus, 295
Colorado:
Eptesicus fuscus, 470
Communication:
Cervus elaphus, 1072
Trichechus manatus latirostris, 1061
Community:
ecology, of bats in riparian corridor of the Mojave Desert, 1145
Peromyscus leucopus and Ochrotomys nuttalli, 102
Competition:
Acomys (2 spp.), 48
Dipodomys merriami, 571
Eptesicus nilssonii, 350
Myotis (2 spp.), 171
Pecari tajacu, 519
Peromyscus leucopus and Ochrotomys nuttalli, 102
Tayassu pecari, 519
Competitive exclusion:
Myotis (2 spp.), 171
Competitive release, in diets of Leopardis pardalis and Puma concolor, 808
Condition. *See* Body condition
Coniferous forests:
habitat associations of small mammals in Sierra Nevada, 401
Connectivity:
Ovis canadensis, 531
Tamiasciurus hudsonicus, 124
Conservation:
Arborimus pomo, 950
bats in riparian corridor of the Mojave Desert, 1145
Brachylagus idahoensis, 827, 921
Cynomys ludovicianus, 295
Dipodomys insularis, 677
Lycaon pictus, 1122
Neofiber alleni, 495
Ursus arctos, 1112
Control region gene sequences:
Abrothrix olivaceus, 971
Arborimus pomo, 950
Callosciurus erythraeus, 246
Glaucomys volans, 153
Martes pennanti, 264
Scotophilus (2 spp.), 161
Core area:
Lepus flavigularis, 748
Lontra canadensis, 740
Corynorhinus townsendii, 1145
Costa Rica:
Desmodus rotundus, 1
Thyroptera tricolor, 1013
Cotton rat, hispid, 97, 433
Coyote, 1154
Cozumel:
Procyon pygmaeus, 501
Cranial morphology. *See* Skull morphology
Cricetomys:
emini, 427
gambianus, 261, 427
Cross-correlation, in cotton rat survival study, 433
Cryptic species:
Aethomys (2 spp.), 545
Genetic Species Concept, 643
Geomys (11 spp.), 668
Scotophilus dinganii, 161
Ctenomys:
australis, 1192
humerus, morphological diversity of, 1252
talarum, 108, 706, 939, 1183
Cuba:
Mormoops blainvilli, 324
Pteronotus (3 spp.), 323
Cutthroat trout, predation by river otters, 485
Cycles:
vole population dynamics, 440
Cynomys:
gunnisoni, 1002
leucurus, 1002
ludovicianus, 295, 1002
niobrarius churcherii, 1002
parvidens, 1002
Cytochrome-*b* gene sequences:
Aethomys (2 spp.), 545
Genetic Species Concept, 643
Geomys (11 spp.), 668
Glaucomys volans, 153
Martes pennanti, 264
Neotoma (13 spp.), 961
Scotophilus (2 spp.), 161
Vespertilionidae, 981

D
Dasyurids:
Antechinus stuartii, 216
Sminthopsis youngsoni, 216
Daubenton's bat, 93
Deer:
mule, 598
white-tailed, 598
Deer mouse, 97, 401, 628, 683
Delayed density dependence, of Martes pennanti populations, 480
Delphinus:
capensis, 606
delphis, 606
Demography:
Ctenomys talarum, 108, 706
Martes americana, 271
Sigmodon hispidus, 433
Dendroctonus rufipennis, red squirrel feeding on, 909
Den habitat:
Mephitis mephitis, 131
Spilogale gracilis, 131
Denning:
Canis lupus, 85
Density. *See* Population density
Density, relative:
Calomys musculinus, 848
Den-site selection:
Mephitis mephitis, 131
Spilogale gracilis, 131
Density-area relationship:
Peromyscus leucopus, 117
Dentition:
Blarina brevicauda, 700
Cynomys (4 spp.), 1002
Didelphis solimoensis, 663
evolution of suction feeding in Odontoceti, 579
Microtus (2 spp.), 1261
Thyroptera (4 spp.), 237
Desert habitat:
species richness-productivity relationship for small mammals along desert-grassland continuum, 777
Desmodus rotundus, 1
Development:
Canis lupus, 80
Monodelphis domestica, 554
Rousettus amplexicaudatus, 993
Developmental effects:
Panthera leo, 193
Didelphidae:
Gracilinanus microtarsus, 915
Didelphimorphia:
Philander (5 spp.), 223
Didelphis solimoensis, 663
Diet:
Desmodus rotundus, 1
Eoglaucomys fimbriatus, 784
Erophylla sezekornii, 19
Leopardis pardalis, 808
Lontra canadensis, 485
Loxodonta africana, 27
Monophyllus redmani, 19
Myotis grisescens, 7
Myotis ricketti, 338
Nycticebus coucang, 790
Petaurista petaurista, 784
Phacochoerus africanus, 889
Procyon pygmaeus, 501
Puma concolor, 808
Tamiasciurus hudsonicus, 909
Thyroptera tricolor, 1013
Ursus arctos, 899, 1112
Digesta, in Odocoileus, 598
Dipodomys:
insularis, 677
merriami, 571
Discriminant function analysis:
Microtus xanthognathus and Microtus pennsylvanicus, 1261
Thyroptera tricolor, 1013
Disjunct populations:
Glaucomys volans, 153
Disk-winged bat, 237
Dispersal:
Canis lupus, 280
Lama guanicoe, 41
Microtus ochrogaster, 446
Neofiber alleni, 495
postglacial of Glaucomys volans, 153
of seeds by peccaries, 519
Distance, dispersal:
Canis lupus, 280
Distribution:
Bison bison, 539
Lepus americanus, 1175
Sylvilagus nuttallii, 1175
Thyroptera (4 spp.), 237
Disturbance, habitat:
mowing strip impact on rodents, 97
DNA, fecal:
Lutra lutra, 855
Dog, African wild, 1122
Dolphin:
bottlenose, 606
Heaviside's, 866
long-beaked common, 606
short-beaked common, 606
Downed wood, as travel path for Tamias townsendii, 454
Drought:
Oncifelis geoffroyi, 1132
Dry forest habitat:
Neotoma cinerea occidentalis, 370
Dunnart, lesser hairy-footed, 215
Dusky-footed woodrat, 401
Dwarfism, of *Bubalus cebuensis*, 1037
Dynamic interactions:
Lontra canadensis, 740

E
Eastern pipistrelle, 148

Eastern red bat, 148, 1096
Echolocation:
bats in riparian corridor of the Mojave Desert, 1145
Mormoops blainvilli, 324
Pteronotus (3 spp.), 323
Scotophilus dinganii, 161
Ecological niche:
Thyroptera tricolor, 1013
Ecological niche modeling:
Cricetomys (2 spp.), 427
Edge effects:
Peromyscus leucopus, 117
Effective population size:
Calomys musculinus, 848
Ctenomys talarum, 108
Egyptian fruit bats, 1140
Elephant, 27
Elevation, effect on biogeography of Lepus americanus and Sylvilagus nuttallii, 1175
Elk, 878, 1072
Enamel. *See* Dentition
Endangered species:
Dipodomys insularis, 677
Lepus flavigularis, 748
Lycaon pictus, 1122
Procyon pygmaeus, 501
Energetics:
Lasiurus borealis, 1096
Energy-dispersive spectrometer, of Blarina brevicauda teeth, 700
Enhydra lutris kenyoni, 799
Environmental conditions:
Spermophilus mexicanus, 1086
Environmental effects:
Dipodomys merriami, 571
temperature perception effect on Spermophilus citellus, 54
on Ursus arctos body size, 510
Environmental stochasticity:
Sigmodon hispidus, 433
Eoglaucomys fimbriatus, 784
Epididymal distention:
Myotis daubentonii, 93
Eptesicus:
fuscus, 344, 361, 470, 1145
nilssonii, 350
Equus burchelli (4 subspecies), 35
Erethizon dorsatum, 480
Erophylla sezekornii, 19
Euderma maculatum, 1145
Eumetopias jubatus, 303
Europe:
Canis lupus, 280
Eptesicus nilssonii, 350
Gulo gulo, 75
Lutra lutra, 855
Myotis daubentonii, 93
Rhinolophus (5 spp.), 1013
Sorex araneus, 589
Spermophilus citellus, 54, 563
Ursus arctos, 510, 859, 899
European ground squirrel, 54, 563
European otter, 855
Expansion, colony:
Cynomys ludovicianus, 295
Expansion, population:
Canis lupus, 280

F
Fecal analysis:
Alces alces, 878
Cervus elaphus, 878
Dipodomys insularis, 677
Leopardis pardalis, 808
Loxodonta africana, 27
Lutra lutra, 855
Myotis ricketti, 338
Nycticebus coucang, 790
Oreamnos americanus, 878
Ovis dalli stonei, 878
Phacochoerus africanus, 889
Procyon pygmaeus, 501
Puma concolor, 808
Thyroptera tricolor, 1013
Ursus arctos, 899, 1112
Felids:
Leopardis pardalis, 808
Lynx rufus, 393
Panthera leo, 193
Puma concolor, 808
Female choice:
Onychogalea fraenata, 461
Fetal growth:
Canis lupus, 85
Rousettus amplexicaudatus, 993
Fidelity. *See* Site fidelity
Finland:
Canis lupus, 280
Fire:
Bison bison distribution in tallgrass prairie fire mosaic, 539
effect on gastrointestinal morphology in Odocoileus, 598
Fisher, 264, 480
Fisheries conflicts, and Enhydra lutris kenyoni, 799
Florida:
Cricetomys gambianus, 261
Neofiber alleni, 495
Trichechus manatus latirostris, 1061
Ursus americanus floridanus, 254
Florida black bear, 254
Fluorescently labeled seed, 571
Flying squirrel:
Kashmir, 784
northern, 401
red giant, 784
southern, 153
Folivory:
Eoglaucomys fimbriatus, 784
Petaurista petaurista, 784
Food. *See* Diet
Food choice:
Desmodus rotundus, 1
Food habits:
Myotis grisescens, 7
Ursus arctos, 899, 1112
Food-hoarding behavior:
Dipodomys merriami, 571
Food resources:
Ursus arctos, 510859
Food supplementation:
Microtus ochrogaster, 446
Foraging:
Lycaon pictus, 1122
Rousettus aegyptiacus, 1140
Thyroptera tricolor, 1013
Ursus arctos, 1112
Foraging cycles:
Eumetopias jubatus, 303
Foraging ecology:
Myotis grisescens, 7
Pecari tajacu, 519
Procyon pygmaeus, 501
Tamiasciurus hudsonicus, 909
Tayassu pecari, 519
Foraging pattern:
Enhydra lutris kenyoni, 799
Forelimb morphology:
Spermophilus citellus, 563
Forest habitat:
Eptesicus fuscus, 344
habitat associations of small mammals in Sierra Nevada, 401
Neotoma cinerea occidentalis, 370
Tamias townsendii, 454
Fossil:
Bubalus cebuensis, 1037
Cynomys niobrarius churcherii, 1002
Didelphis solimoensis, 663
endocranial volume estimation in Carnivora, 1027
Lasiurus (2 spp.), 148
Pipistrellus subflavus, 148
Fox, red, 1154
Fox squirrel, Chiricahua, 379
Fragment size:
Peromyscus leucopus, 117
Frugivory:
Didelphis solimoensis, 663
of nectarivorous bats of Puerto Rico, 19
Pecari tajacu, 519
Rousettus aegyptiacus, 1140
Tayassu pecari, 519
Fruit-eating bat, 1
Fuel management, effect on Neotoma cinerea occidentalis, 370
Fur harvest, of Martes pennanti, 440

G
Gambian rat, 261
Genetic Algorithm for Rule-set Prediction, 427
Genetic diversity:
Arborimus pomo, 950
Ctenomys talarum, 706
Martes americana, 271
Genetic isolation:
Genetic Species Concept, 643
Genetic relatedness:
Microtus ochrogaster, 944
Ursus americanus floridanus, 254
Genetic sampling:
Lasiorhinus latifrons, 690
Genetic Species Concept, 643
Genetic variation:
Callosciurus erythraeus, 246
Calomys musculinus, 848
Ctenomys talarum, 108, 706
Genetic Species Concept, 643
Genetics:
Martes americana, 271
Martes pennanti, 264
Geoffroy's cat, 1132
Geographic variation:
Myotis evotis, 1020
Geographical isolation:
Callosciurus erythraeus, 246
Geography information system:
Brachylagus idahoensis, 827
Geometric morphometrics:
Calomys (2 spp.), 1270
Marmota (7 spp.), 201
Myotis (2 spp.), 171
Geomys:
arenarius, 668
attwateri, 668
breviceps, 668
bursarius, 668
knoxjonesi, 668

lutescens, 668
personatus, 668
pinetus, 668
streckeri, 668
texensis, 668
tropicalis, 668
Georgia:
Lynx rufus, 393
Ochrotomys nuttalli, 102
Peromyscus leucopus, 102
Germany:
Eptesicus nilssonii, 350
Myotis daubentonii, 93
Giving-up density, 1140
Glaucomys:
sabrinus, 401
volans, 153
Gleaning, by Thyroptera tricolor, 1013
Global positioning system (GPS):
Ursus arctos, 1112
Golden mouse, 102
Golden spiny mouse, 48
Golden-mantled ground squirrel, 401
Gracilinanus microtarsus, 915
Granivory:
species richness-productivity relationship for small mammals along desert-grassland continuum, 777
Grasslands:
high-elevation, 733
species richness-productivity relationship for small mammals along desert-grassland continuum, 777
Gray four-eyed opossum, 223
Gray myotis, 7
Gray short-tailed opossum, 554
Gray wolf, 80, 85
Grazers:
Phacochoerus africanus, 889
Great Basin Desert:
Dipodomys merriami, 571
Greater Antillean long-tongued bat, 19
Greece:
Spermophilus citellus, 563
Grizzly bear, 1112
Ground squirrel:
California, 401
Cape, 60
European, 54, 563
golden-mantled, 401
Mexican, 1086
Uinta, 286
Group living:
Microcavia australis, 834
Growth:
Canis lupus, 80
Ursus arctos, 510
Growth rates:
Cynomys (4 spp.), 1002
Guanaco, 41
Gulo gulo, 75
Gum-eating:
Nycticebus coucang, 790
Gunnison's prairie dog, 1002
Guyana:
Thyroptera (4 spp.), 237

H
Habitat fragmentation:
mowing strip impact on rodents, 97
Peromyscus leucopus, 117
small mammals of fragmented sagebrush-steppe landscapes, 1165
Habitat manipulation, and colony expansion of Cynomys ludovicianus, 295
Habitat model:
Brachylagus idahoensis, 827
Habitat relationships:
Brachylagus idahoensis, 827
Habitat structure:
Spermophilus armatus, effect on antipredator behavior in, 286
Habitat use:
Amazonian small mammal abundances and, 766
bats in riparian corridor of the Mojave Desert, 1145
Cephalorhynchus heavisidii, 866
Eptesicus nilssonii, 350
Oncifelis geoffroyi, 1132
Ovis canadensis, 531
Tamias townsendii, 454
Hare, snowshoe, 480, 1175
Harvest rates, of Rousettus aegyptiacus, 1140
Heaviside's dolphin, 866
Herbivory:
Pecari tajacu, 519
species richness-productivity relationship for small mammals along desert-grassland continuum, 777
Tayassu pecari, 519
Heterogeneity:
mark-recapture estimates of small mammal populations, 618
Heteromyidae:
Dipodomys merriami, 571
phylogenetic analysis based on allozymic and morphological data, 1218
Heteromys, 1218
Heterozygosity:
Calomys musculinus, 848
Martes americana, 271
Ursus americanus floridanus, 254
Ursus arctos, 510
Hibernacula:
Eptesicus fuscus, 470
Lasiurus borealis, 1096
Hibernation:
Chalinolobus morio, 317
Cynomys (4 spp.), 1002
Lasiurus borealis, 1096
Spermophilus mexicanus, 1086
High-elevation grassland:
Oxymycterus nasutus, 733
Hispid cotton rat, 97, 433
Holocene:
Aplodontia rufa, 139
Lasiurus (2 spp.), 148
Pipistrellus subflavus, 148
Home range:
Cephalorhynchus heavisidii, 866
Ctenomys talarum, 1183
Eptesicus nilssonii, 350
Lepus flavigularis, 748
Lontra canadensis, 740
Lynx rufus, 393
Microcavia australis, 834
Neofiber alleni, 495
Oncifelis geoffroyi, 1132
Ovis canadensis, 531
Sciurus nayaritensis chiricahuae, 379
Ursus americanus floridanus, 254
Ursus arctos, 859
Hormone assays:
Bathyergus suillus, 1078
Speothos venaticus, 723
Horseshoe bats:
east Asian, 1234
European, 1241
Host preference:
Desmodus rotundus, 1
House mouse, 215
Hungary:
Spermophilus citellus, 54
Hybrids:
Genetic Species Concept, 643

I
Idaho:
Brachylagus idahoensis, 827
small mammals of fragmented sagebrush-steppe landscapes, 1165
Identification, acoustic:
Eptesicus nilssonii, 350
Mormoops blainvilli, 323
Neophoca cinerea, 929
Pteronotus (3 spp.), 323
Illinois:
Canis latrans, 1154
Microtus ochrogaster, 386
Microtus pennsylvanicus, 841
Procyon lotor, 1154
Vulpes vulpes, 1154
Inbreeding:
Microtus ochrogaster, 944
Individual identity coding:
Neophoca cinerea, 929
Infanticide:
Equus burchelli (4 subspecies), 35
Information theoretic approach:
migration and roost selection by Eptesicus fuscus, 470
Ovis canadensis resource selection, 531
path selection by Tamias townsendii, 454
Insect prey:
of Myotis grisescens, 7
of nectarivorous bats of Puerto Rico, 19
Insectivory:
Myotis ricketti, 338
Scotophilus dinganii, 161
species richness-productivity relationship for small mammals along desert-grassland continuum, 777
Integumentary structures, in Rousettus amplexicaudatus, 993
Interannual variation:
Ursus arctos, 899
Interestrous interval:
Speothos venaticus, 723
Interference competition:
Acomys (2 spp.), 48
Interspecies competition:
Myotis (2 spp.), 171
Pecari tajacu and Tayassu pecari, 519
Intestinal morphology in Odocoileus, 598
Intraspecific comparison:
Ctenomys talarum, 706
Intraspecific competition:
Eptesicus nilssonii, 350
Pecari tajacu, 519
Tayassu pecari, 519
Intraspecific variation:
Ctenomys talarum, 108
Peromyscus zarhynchus, 683
Introduced species:
lake trout, 485
Invasive species:
Cricetomys (2 spp.), 427
Cricetomys gambianus, 261
Inventory, of bats in riparian corridor of the Mojave Desert, 1145

Iron pigmentation, in Blarina brevicauda teeth, 700
Island biogeography:
Bubalus cebuensis, 1037
small mammals of fragmented sagebrush-steppe landscapes, 1165
Isolation:
small mammals of fragmented sagebrush-steppe landscapes, 1165
Isotope studies:
Phacochoerus africanus, 889
vampire bat host preference, 1
Israel:
Acomys (2 spp.), 48
Italy:
Lutra lutra, 855

J
Jackrabbit, Tehuantepec, 748
Jacob's index, 1122
Jaw morphology:
Didelphis solimoensis, 663
Myotis (2 spp.), 171
Philander (5 spp.), 223
Junin virus, 848

K
Kangaroo mice, 1201
Kangaroo rat:
Merriam's, 571
San Jose Island, 677
Kansas:
Microtus ochrogaster, 97
Peromyscus (2 spp.), 97
Peromyscus maniculatus, 628
Reithrodontomys megalotis, 97
Sigmodon hispidus, 97, 433
Kashmir flying squirrel, 784
Kelp canopy habitat, of Enhydra lutris kenyoni, 799
Kipuka, 1165
Kruger National Park, South Africa:
Loxodonta africana diet study, 27

L
Lactation:
Bathyergus suillus, 1078
Brachylagus idahoensis, 921
Sorex araneus, 589
Lama guanicoe, 41
Land tenure:
Lynx rufus, 393
Landmark data, 1261
Landscape:
biogeography of small mammals of fragmented sagebrush-steppe landscapes, 1165
carnivore occurrence along urban-rural gradient, 1154
Ochrotomys nuttalli, 102
Peromyscus leucopus, 102
Landscape connectivity:
Tamiasciurus hudsonicus, 124
Lasionycteris noctivagans, 1145
Lasiorhinus latifrons, 690
Lasiurus:
blossevillii, 1145
borealis, 148, 1096
cinereus, 1145
seminolus, 148
xanthinus, 1145
Lean dry mass, of Procyon lotor, 717
Leopardis pardalis, 808
Lepus:
americanus, 480, 1175
flavigularis, 748
Lesser hairy-footed dunnart, 215
Lick soils, chemical composition of, 878
Life history:
Gracilinanus microtarsus, 915
Myotis daubentonii, 93
Limit cycle, hare abundance and, 480
Liomys, 1218
Lion, 193
Litter size:
Canis lupus, 85
Gulo gulo, 75
Livestock:
diet of warthogs on former cattle grounds, 889
vampire bats feeding upon, 1
Livetrapping:
Aethomys namaquensis, 67
Amazonian small mammal abundances related to habitat structure and resource abundance, 766
Calomys musculinus, 848
Canis lupus, 80
Clethrionomys gapperi, 440
Cricetomys gambianus, 261
Ctenomys australis, 1192
Ctenomys talarum, 108, 1184
Dipodomys insularis, 677
Dipodomys merriami, 571
Glaucomys volans, 153
Microcavia australis, 834
Microtus ochrogaster, 97, 386, 446
Microtus pennsylvanicus, 841
Neofiber alleni, 495
Neotoma cinerea occidentalis, 370
Ochrotomys nuttalli, 102
Oncifelis geoffroyi, 1132
Oxymycterus nasutus, 733
Peromyscus (2 spp.), 97
Peromyscus leucopus, 102, 440, 1103
Peromyscus maniculatus, 628
Procyon lotor, 717
Reithrodontomys megalotis, 97
Sciurus nayaritensis chiricahuae, 379
Sigmodon hispidus, 97, 433
small mammals in northern Sierra Nevada, 401
Spermophilus armatus, 286
Spermophilus mexicanus, 1086
Tamias townsendii, 454
Long-beaked common dolphin, 606
Long-eared bats, 171
Long-eared chipmunk, 401
Long-nosed mouse, 733
Long-tailed vole, 401
Lontra canadensis, 485, 740
Loxodonta africana, 27
Lunar phobia, of Carollia castanea, 330
Lutra lutra, 855
Lycaon pictus, 1122
Lynx rufus, 393

M
Macrohabitat, associations of small mammals in Sierra Nevada, 401
Macropodid:
Onychogalea fraenata, 461
Macrotus californicus, 1145
Magnesium, in lick soils, 878
Maine:
Clethrionomys gapperi, 440
Peromyscus leucopus, 440
Major histocompatibility complex:
Ctenomys talarum, 706
Malaysia:
Nycticebus coucang, 790
Male effect, on Speothos venaticus female reproductive cycle, 723
Males:
infanticide in Equus burchelli (4 subspecies), 35
Management:
Cynomys ludovicianus, 295
Neotoma cinerea occidentalis, 370
Manatee, 1061
Mandible:
evolution of suction feeding in Odontoceti, 579
Mane, lion, 193
Maneless zebra, 35
Manitoba:
Procyon lotor, 717
MARK program use:
Sigmodon hispidus, 433
Mark-recapture studies:
estimates of small mammal population parameters, 618
Neotoma cinerea occidentalis, 370
Sigmodon hispidus, 433
Spermophilus armatus, 286
Marmota:
caligata, 201
caudate, 201
flaviventris, 201
himalayana, 201
marmota, 201
monax, 201
sibirica, 201
Marsupials:
Amazonian small mammal abundances related to habitat structure and resource abundance, 766
Antechinus stuartii, 216
Didelphis solimoensis, 663
Gracilinanus microtarsus, 915
Lasiorhinus latifrons, 690
Monodelphis domestica, 554
Onychogalea fraenata, 461
Sminthopsis youngsoni, 216
Martes:
americana, 272
pennanti, 264, 480
Marten, American, 272
Mate guarding:
Onychogalea fraenata, 461
Maternal care:
Ctenomys talarum, 939
Eumetopias jubatus, 303
Maternity caves, for Myotis grisescens, 7
Mating:
Brachylagus idahoensis, 921
Lepus flavigularis, 748
Mating behavior:
Speothos venaticus, 723
Mating season:
Spermophilus mexicanus, 1086
Mating system:
Onychogalea fraenata, 461
Sciurus nayaritensis chiricahuae, 379
Matrix habitat, 1165
Maturation:
Myotis daubentonii, 93
Meadow vole, 842, 1261
Measurement error, small-mammal studies, 215
Megachiroptera:
Rousettus amplexicaudatus, 993

Mephitis mephitis, 131
Merriam's kangaroo rats, 571
Metabolic rate:
  Lasiurus borealis, 1096
Mexican ground squirrel, 1086
Mexican prairie dog, 1002
Mexico:
  Dipodomys insularis, 677
  Lepus flavigularis, 748
  Peromyscus zarhynchus, 683
Michigan:
  Martes americana, 271
Microcavia australis, 834
Microchiroptera, 1145
Microclimate:
  Eptesicus fuscus, 361
Microdipodops megacephalus, 1204
Microhabitat:
  associations of small mammals in Sierra Nevada, 401
  Dipodomys insularis, 677
  Eptesicus fuscus, 470
  selection by Tamiasciurus hudsonicus, 124
Microsatellite DNA studies:
  Ctenomys talarum, 108, 706
  Lasiorhinus latifrons, 690
  Lutra lutra, 855
  Martes americana, 271
Microtus:
  longicaudus, 401
  montanus, 401
  ochrogaster, 97, 386, 446, 944
  pennsylvanicus, 841, 1261
  xanthognathus, 1261
Migration:
  Eptesicus fuscus, 470
Minnesota:
  Canis lupus, 80
  Lontra canadensis, 740
Miocene:
  Didelphis solimoensis, 663
Missouri:
  Lasiurus borealis, 1096
  Myotis grisescens, 7
Mitochondrial DNA:
  Abrothrix olivaceus, 971
  Aethomys (2 spp.), 545
  Arborimus pomo, 950
  Callosciurus erythraeus, 246
  Ctenomys australis, 1192
  Genetic Species Concept, 643
  Geomys (11 spp.), 668
  Glaucomys volans, 153
  Martes pennanti, 264
  Microdipodops megacephalus, 1204
  Neotoma (13 spp.), 961
  Rhinolophus (4 spp.), 1234
  Scotophilus (2 spp.), 161
Model II analysis of variance, in small-mammal studies, 215
Model-averaging, in estimation of endocranial volume in Carnivora, 1027
Molecular ecology:
  Lasiorhinus latifrons, 690
Molecular identification:
  Aethomys (2 spp.), 545
Molecular systematics:
  Neotoma (13 spp.), 961
Mole-rat, Cape dune, 1078
Monodelphis domestica, 554
Mono Lake, 1204
Monophyllus redmani, 19
Montana:
  Antilocapra americana, 311
  Martes pennanti, 264
  Ovis canadensis, 531
Montane vole, 401
Moonlight, response by Carollia castanea, 330
Moose, 280, 878
Mormoops blainvilli, 324
Morphological species:
  Calomys (2 spp.), 1270
Morphology:
  Ctenomys, humeral diversity in, 1252
  Microdipodops megacephalus, 1204
  Myotis evotis, 1020
  Peromyscus zarhynchus, 683
  Scotophilus (2 spp.), 161
  Spermophilus citellus, 563
  spiny pocket mice, 1218
  Thyroptera tricolor, 1013
  Vespertilionidae, 981
Morphometrics:
  Antechinus stuartii, 216
  Calomys (2 spp.), 1270
  evolution of suction feeding in Odontoceti, 579
  Marmota (7 spp.), 201
  Microtus (2 spp.), 1261
  Mus domestica, 216
  Myotis (2 spp.), 171
  Notomys alexis, 216
  Peromyscus zarhynchus, 683
  Philander (5 spp.), 223
  Procyon lotor, 717
  Sminthopsis youngsoni, 216
Mortality:
  neonatal in Antilocapra americana, 311
Motivation-structural rules, elk vocalizations and, 1072
Mountain beaver, 139
Mountain cottontail, 1175
Mountain goats, 878
Mountain range and isolation:
  Callosciurus erythraeus, 246
Mouse:
  Chiapan deer, 683
  deer, 97, 628
  golden, 102
  golden spiny, 48
  house, 215
  kangaroo, 1201
  long-nosed, 733
  Namaqua rock mouse, 67
  North American deer, 401
  spinifex hopping, 215
  spiny, 48
  spiny pocket, 1218
  western harvest, 97
  white-footed, 97, 102, 117, 440, 1103, 1165
Movement:
  Cephalorhynchus heavisidii, 866
  mowing strip impact on rodents, 97
  Neofiber alleni, 495
  Oncifelis geoffroyi, 1132
  Ovis canadensis, 531
  Tamiasciurus hudsonicus, 124
Mowing strip, impact on rodents, 97
Mule deer, 598
Multiple linear regression, in estimation of endocranial volume in Carnivora, 1027
Muscles, forelimb:
  Spermophilus citellus, 563
Mus domestica, 216
Muskrat, round-tailed, 495
Mustelids:
  Gulo gulo, 75
Myotis:
  auriculus, 171
  californicus, 1145
  daubentonii, 93
  evotis, 171, 1020
  grisescens, 7
  ricketti, 338
  thysanodes, 1145
  yumanensis, 1145

N
Namaqua rock mouse, 67
Natal burrow:
  Brachylagus idahoensis, 921
Natal philopatry:
  Ursus americanus floridanus, 254
Natural history:
  Lepus americanus, 1175
  Sylvilagus nuttallii, 1175
Nectarivory:
  Erophylla sezekornii, 19
  Monophyllus redmani, 19
  Nycticebus coucang, 790
Neofiber alleni, 495
Neonatal mortality:
  Antilocapra americana, 311
Neophoca cinerea, 929
Neotamias:
  quadrimaculatus, 401
  senex, 401
Neotoma:
  albigula, 961
  cinerea, 961
  cinerea occidentalis, 370
  floridana, 961
  fuscipes, 961
  goldmani, 961
  isthmica, 961
  lepida, 961
  leucodon, 961
  magister, 961
  mexicana, 961
  micropus, 961
  picta, 961
  stephensi, 961
Neotropics:
  Gracilinanus microtarsus, 915
  Pecari tajacu, 519
  Philander (5 spp.), 223
  pitfall traps for sampling small mammals in, 757
  Tayassu pecari, 519
Nest box sampling:
  Peromyscus leucopus, 117
Nest site:
  Microcavia australis, 834
Nested clade phylogeographic analysis:
  Glaucomys volans, 153
Nesting, communal:
  Microcavia australis, 834
Neurogenesis:
  Monodelphis domestica, 554
Nevada:
  Corynorhinus townsendii, 1145
  Dipodomys merriami, 571
  Eptesicus fuscus, 1145
  Euderma maculatum, 1145
  Lasionycteris noctivagans, 1145
  Lasiurus (3 spp.), 1145
  Macrotus californicus, 1145
  Microdipodops megacephalus, 1204
  Myotis (3 spp.), 1145
  Nyctinomops macrotis, 1145

Pipistrellus hesperus, 1145
Tadarida brasiliensis, 1145
New Mexico:
Lepus americanus, 1175
Spermophilus mexicanus, 1086
Sylvilagus nuttallii, 1175
New species:
Bubalus cebuensis, 1037
Didelphis solimoensis, 663
Philander (2 spp.), 223
Thyroptera devivoi, 237
Niche construction:
Ctenomys talarum, 939
Niche modeling:
Cricetomys (2 spp.), 427
Nipple size:
Canis lupus, 80
Nitrogen:
analysis of Phacochoerus africanus diet, 889
fecal analysis of Loxodonta africana diet, 27
Nitrogen isotope:
Procyon pygmaeus, 501
vampire bat host preference study, 1
North America. *See also* Canada; Mexico; United States
Cervus elaphus, 878, 1072
Cricetomys (2 spp.), 427
Geomys (11 spp.), 668
species richness-productivity relationship for small mammals along desert-grassland continuum, 777
North American elk. *See* Elk
North Dakota:
Cynomys ludovicianus, 295
Northern bat, 350
Northern flying squirrel, 401
Northern short-tailed shrew, 700
Norway:
Gulo gulo, 75
Notomys alexis, 216
Nova Scotia:
Glaucomys volans, 153
Nuclear DNA sequences:
Neotoma (13 spp.), 961
Numerical response, of fishers to synchronous prey dynamics, 480
Nursing behavior:
Eumetopias jubatus, 303
Nycticebus coucang, 790
Nyctinomops macrotis, 1145

O
Observer bias, in measurement error in small-mammal studies, 215
Ocelot, 808
Ochrotomys nuttalli, 102
Odocoileus:
hemionus, 598
virginianus, 598
Odontoceti, evolution of suction feeding in, 579
Ohio:
Microtus ochrogaster, 446
Peromyscus leucopus, 117, 1103
Oklahoma:
Bison bison, 539
Omnivory:
species richness-productivity relationship for small mammals along desert-grassland continuum, 777
Tamiasciurus hudsonicus, 909
Oncifelis geoffroyi, 1132
Ontario:
Erethizon dorsatum, 480
Lepus americanus, 480
Martes pennanti, 480
Sylvilagus floridanus, 480
Ontogeny:
Ctenomys talarum, 939
Marmota (7 spp.), 201
Rousettus amplexicaudatus, 993
Onychogalea fraenata, 461
Open/dry biomes, Calomys spp. in, 1270
Opossum:
Brazilian gracile mouse, 915
gray four-eyed, 223
gray short-tailed, 554
Oreamnos americanus, 878
Oregon:
Tamias townsendii, 454
Osteology:
evolution of suction feeding in Odontoceti, 579
Spermophilus citellus, 563
Otter:
European, 855
river, 485, 740
sea, 799
Outlying mean index analysis, 1154
Ovis:
canadensis, 531
dalli stonei, 878
Ovulation:
Xerus inauris, 60
Oxymycterus nasutus, 733

P
Pakistan:
Eoglaucomys fimbriatus, 784
Petaurista petaurista, 784
Pallas's squirrel, 247
Palm-peccary interactions, 519
Panama:
Carollia castanea, 330
Leopardis pardalis, 808
Puma concolor, 808
Panthera leo, 193
Papillae, in Odocoileus, 598
Parasitism, of Peromyscus leucopus, 1103
Parastrellus hesperus, 981
Parental care:
Microtus ochrogaster, 944
Parturition:
Brachylagus idahoensis, 921
Passive integrated transponder (PIT) tag:
Peromyscus maniculatus, 628
Patch quality:
Microtus ochrogaster, 446
Patch use, strategy of Rousettus aegyptiacus, 1140
Patch-burn mosaic, tallgrass prairie, 539
Path selection:
Tamias townsendii, 454
Pattern recognition, in Calomys skull variation, 1270
Pecari tajacu, 519
Peccary:
collared, 519
white-lipped, 519
Peninsula habitat:
Ochrotomys nuttalli, 102
Peromyscus leucopus, 102
Perimyotis subflavus, 981
Perinatal period:
Eumetopias jubatus, 303
Periodicity:
vole population dynamics, 440
Peromyscus:
leucopus, 97, 102, 117, 1103, 1165
maniculatus, 97, 401, 628
zarhynchus, 683
Petaurista petaurista, 784
Petromarmota, 201
Phacochoerus africanus, 889
Phenotypic plasticity:
Panthera leo, 193
Philander:
andersoni, 223
deltae, 223
mondolfii, 223
opossum fuscogriseus, 223
opossum opossum, 223
Philippines:
Bubalus cebuensis, 1037
Phosphorus:
analysis of Phacochoerus africanus diet, 889
Phyllostomidae:
Carollia castanea, 330
Erophylla sezekornii, 19
Monophyllus redmani, 19
Phylogenetics:
Aethomys (2 spp.), 545
Arborimus pomo, 950
Bubalus cebuensis, 1037
Geomys (11 spp.), 668
Neotoma (13 spp.), 961
Rhinolophus (4 spp.), 1234
Scotophilus (2 spp.), 161
Vespertilionidae, 981
Phylogeny:
spiny pocket mice, 1218
Phylogeography:
Abrothrix olivaceus, 971
Aethomys (2 spp.), 545
Callosciurus erythraeus, 246
Ctenomys australis, 1192
Glaucomys volans, 153
Microdipodops megacephalus, 1204
Phylogroups:
Genetic Species Concept, 643
Pilferage:
Dipodomys merriami, 571
Pinnepeds:
Eumetopias jubatus, 303
Neophoca cinerea, 929
Pipistrellus:
hesperus, 981, 1145
subflavus, 148, 981
Pitfall traps:
for sampling small mammals in the neotropics, 757
Placental scars:
Canis lupus, 85
Pleistocene:
Bubalus cebuensis, 1037
Cynomys niobrarius churcherii, 1002
Lasiurus (2 spp.), 148
Pipistrellus subflavus, 148
Pocket gophers, 668
Poland:
Sorex araneus, 589
Pollen:
analysis of nectarivorous bats of Puerto Rico, 19
Pollino National Park:
Lutra lutra, 855
Population cycles:
Microtus ochrogaster, 386
Population density:
Calomys musculinus, 848

Lutra lutra, 855
Neotoma cinerea occidentalis, 370
Peromyscus leucopus, 117
Ursus arctos, 510, 859
Population dynamics:
Clethrionomys gapperi, 440
Population ecology:
Spermophilus armatus, 286
Population expansion:
Ctenomys australis, 1192
Population fluctuations:
Calomys musculinus, 848
Microtus ochrogaster, 386
Microtus pennsylvanicus, 841
Population size:
Ctenomys talarum, 108
Lutra lutra, 855
Porcupine, 480
Postglacial dispersal, by Glaucomys volans, 153
Prairie dog:
black-tailed, 295, 1002
Gunnison's, 1002
Mexican, 1002
Utah, 1002
white-tailed, 1002
Prairie vole, 97, 386, 446, 944
Precision, in measurement error in small-mammal studies, 215
Predation:
fisher population response to synchronous prey dynamics, 480
Lycaon pictus, 1122
peccary-palm interactions, 519
prey selection by Enhydra lutris kenyoni, 799
by Puma concolor and Leopardus pardalis, 808
by Thyroptera tricolor, 1013
on trout by Lontra canadensis, 485
Predation risk:
Microtus ochrogaster, 446
Pregnancy:
Bathyergus suillus, 1078
Canis lupus, 85
Sorex araneus, 589
Prenatal care:
Brachylagus idahoensis, 921
Prey decline, response of Geoffroy's cat to, 1132
Prey selection, by Lycaon pictus, 1122
Prey species:
antipredator behavior in Spermophilus armatus, 286
Erethizon dorsatum, 480
Lepus americanus, 480
Sylvilagus floridanus, 480
Prey switching, by Tamiasciurus hudsonicus, 909
Primary productivity:
species richness-productivity relationship for small mammals along desert-grassland continuum, 777
Procyon:
lotor, 717, 1154
pygmaeus, 501
Progesterone levels:
Aethomys namaquensis, 67
Xerus inauris, 60
Pronghorn, 311
Prosimian primate:
Nycticebus coucang, 790
Pteronotus:
macleayii, 323
parnelli, 323
quadridens, 323
Pteropodidae:
Rousettus amplexicaudatus, 993
Puerto Rico:
Erophylla sezekornii, 19
Monophyllus redmani, 19
Puma concolor, 808
Pygmy rabbit, 827, 921
Pygmy raccoon, 501

Q
Quaternary:
Abrothrix olivaceus, 971
Lasiurus (2 spp.), 148
Pipistrellus subflavus, 148

R
Rabbit:
eastern cottontail, 480
mountain cottontail, 1175
pygmy, 827, 921
Raccoon:
common (northern), 717, 1154
pygmy, 501
Radiotelemetry:
Canis lupus, 85, 280
Carollia castanea, 330
Chalinolobus morio, 317
Ctenomys talarum, 1183
Eptesicus fuscus, 344, 361, 470
Eptesicus nilssonii, 350
Gulo gulo, 75
Lepus flavigularis, 748
Lontra canadensis, 740
Lynx rufus, 393
Mephitis mephitis, 131
Microcavia australis, 834
Microtus ochrogaster, 446
Neofiber alleni, 495
Nycticebus coucang, 790
Oncifelis geoffroyi, 1132
Ovis canadensis, 531
Sciurus nayaritensis chiricahuae, 379
Spilogale gracilis, 131
Ursus americanus floridanus, 254
Ursus arctos, 1112
Rangifer tarandus, 280
Ranging behavior:
Lasiorhinus latifrons, 690
Rat:
African Giant pouched, 427
cotton, 433
Gambian, 261
hispid cotton, 97
red velt, 545
Tete veld, 545
Recognition:
in Neophoca cinerea, 929
Recruitment:
Gulo gulo, 75
Red bat, 148
Red fox, 1154
Red giant flying squirrel, 784
Red squirrel, 124, 909
Red velt rat, 545
Reindeer, forest, 280
Reintroduction:
Lynx rufus, 393
Martes americana, 271
Martes pennanti, 264
Reithrodontomys megalotis, 97
Remote video studies:
Eumetopias jubatus, 303
Reproduction:
Aethomys namaquensis, 67
Bathyergus suillus, 1078
Brachylagus idahoensis, 921
Canis lupus, 80, 85, 280
Gracilinanus microtarsus, 915
Gulo gulo, 75
Microtus ochrogaster, 944
Myotis daubentonii, 93
Myotis evotis, 1020
ovulation in Xerus inauris, 60
Peromyscus leucopus, 117
Speothos venaticus, 723
Spermophilus mexicanus, 1086
Reproductive isolation:
Genetic Species Concept, 643
Reproductive strategy:
Onychogalea fraenata, 461
Sciurus nayaritensis chiricahuae, 379
Reproductive success:
Eptesicus fuscus, 361
Resource abundance:
Amazonian small mammal abundances and, 766
Resource assessment:
Rousettus aegyptiacus, 1140
Resource availability:
Carollia castanea, 330
Resource exploitation:
Acomys (2 spp.), 48
Resource heterogeneity:
species richness-productivity relationship for small mammals along desert-grassland continuum, 777
Resource selection:
Ovis canadensis, 531
Tamias townsendii, 454
Rest site:
Neofiber alleni, 495
Restoration:
Cynomys ludovicianus, 295
Rhinolophus:
blasii, 1013
cornutus, 1234
cornutus pumilus, 1234
euryale, 1013
ferrumequinum, 1013
hipposideros, 1013
mehelyi, 1013
monoceros, 1234
pusillus, 1234
Ribosomal RNA, 12S:
Vespertilionidae, 981
Rickett's big-footed myotis, 338
River otter, 485, 740
Rock roosts:
Eptesicus fuscus, 361, 470
Rocky Mountain bighorn sheep, 531
Rocky Mountain biogeography of Lepus americanus and Sylvilagus nuttallii, 1175
Rodent ecology:
Cricetomys (2 spp.), 427
Rodentia:
Acomys (2 spp.), 48
Aethomys (2 spp.), 545
Amazonian small mammal abundances related to habitat structure and resource abundance, 766
Antechinus stuartii, 216
Arborimus pomo, 950
Arbrothrix olivaceus, 971
Bathyergus suillus, 1078
Blarina brevicauda, 700
Callosciurus erythraeus, 246

Calomys (2 spp.), 1270
Calomys musculinus, 848
Clethrionomys gapperi, 440
Cricetomys (2 spp.), 427
Cricetomys gambianus, 261
Ctenomys, 1252
Ctenomys australis, 1192
Ctenomys talarum, 108, 706, 939, 1183
Cynomys (4 spp.), 1002
Dipodomys insularis, 677
Dipodomys merriami, 571
Eoglaucomys fimbriatus, 784
Erethizon dorsatum, 480
Geomys (11 spp.), 668
Glaucomys volans, 153
Marmota (7 spp.), 201
Microcavia australis, 834
Microdipodops megacephalus, 1204
Microtus ochrogaster, 97, 386, 446, 944
Microtus pennsylvanicus, 841
Mus domestica, 216
Neofiber alleni, 495
Neotoma (13 spp.), 961
Neotoma cinerea occidentalis, 370
Notomys alexis, 216
Ochrotomys nuttalli, 102
Oxymycterus nasutus, 733
Peromyscus (2 spp.), 97
Peromyscus leucopus, 102, 117, 440, 1103, 1165
Peromyscus maniculatus, 628
Peromyscus zarhynchus, 683
Petaurista petaurista, 784
Reithrodontomys megalotis, 97
Sciurus nayaritensis chiricahuae, 379
Sigmodon hispidus, 97, 433
Sminthopsis youngsoni, 216
Sorex araneus, 589
Spermophilus armatus, 286
Spermophilus citellus, 54, 563
Spermophilus mexicanus, 1086
Tamiasciurus hudsonicus, 124, 909
Tamias townsendii, 454
Xerus inauris, 60
Roosts:
Chalinolobus morio, 317
Eptesicus fuscus, 344, 361, 470
Round-tailed muskrat, 495
Rousettus aegyptiacus, 1140
Rousettus amplexicaudatus, 993
Rupununi:
Thyroptera (4 spp.), 237

S
Sagebrush steppe, 1165
Salt licks, chemical composition of lick soils, 878
San Jose Island kangaroo rat, 677
Sap-eating:
Nycticebus coucang, 790
Satellite telemetry:
Cephalorhynchus heavisidii, 866
Savanna habitat:
Phacochoerus africanus, 889
Thyroptera (4 spp.), 237
Scandinavia:
Gulo gulo, 75
Scanning electron microscopy, of Blarina brevicauda teeth, 700
Sciuridae:
Spermophilus mexicanus, 1086
Sciurus nayaritensis chiricahuae, 379
Scotophilus:
dinganii, 161
viridis, 161
Scratch-digging:
adaptations in Ctenomys, 1252
behavior of Spermophilus citellus, 563
Sea lions:
Australian, 929
California, 606
Stellar, 303
Sea otter, 799
Seasonality:
Aethomys namaquensis, 67
Bison bison, 539
Cynomys (4 spp.), 1002
Seasonal migration:
Eptesicus fuscus, 470
Seasonal reproduction:
Bathyergus suillus, 1078
Seed caching:
Dipodomys merriami, 571
Seed dispersal:
by peccaries, 519
Selection:
Ctenomys talarum, 706
Semelparity, 915
Sex, effect on home-range size in brown bears, 859
Sex differences:
Sciurus nayaritensis chiricahuae, 379
subordinate behavior in Lama guanicoe, 41
Sex ratio:
Eptesicus fuscus, 470
Sexual dimorphism:
Myotis evotis, 1020
Onychogalea fraenata, 461
Sexual selection:
Panthera leo, 193
Shadow chipmunk, 401
Sherman traps. *See also* Livetrapping
efficiency for sampling small mammals in the neotropics, 757
Short-beaked common dolphin, 606
Shrew:
common, 589
northern short-tailed, 700
Sierra Nevada:
habitat associations of small mammals, 401
Sigmodon hispidus, 97, 433
Sigmodontinae:
Abrothrix olivaceus, 971
Sirenia:
Trichechus manatus latirostris, 1061
Site fidelity:
Antilocapra americana, 311
Lontra canadensis, 740
Skull morphology:
Calomys (2 spp.), 1270
in Carnivora, 1027
Marmota (7 spp.), 201
Myotis (2 spp.), 171
Peromyscus zarhynchus, 683
Philander (5 spp.), 223
Scotophilus (2 spp.), 161
Skunk:
striped, 131
western spotted, 131
Slow loris, 790
Small-mammal studies:
Amazonian abundances related to habitat structure and resource abundance, 766
automatic activity-monitoring system, 628
biogeography in fragmented sagebrush-steppe landcapes, 1165
habitat associations in northern Sierra Nevada, 401
mark-recapture estimates of population parameters, 618
measurement error, 215
pitfall traps for sampling in the neotropics, 757
species richness-productivity relationship along desert-grassland continuum, 777
Sminthopsis youngsoni, 216
Snowshoe hare, 480, 1175
Social behavior:
Lepus flavigularis, 748
Lontra canadensis, 740
Social learning:
Ctenomys talarum, 939
Social parasitism:
sea lions and dolphins, 606
Social structure/organization:
Equus burchelli (4 subspecies), 35
Lynx rufus, 393
Microcavia australis, 834
Microtus ochrogaster, 446
Sodium, in lick soils, 878
Soil ingestion, by ungulates, 878
Sonoma tree vole, 950
Sorex araneus, 589
South Africa:
Aethomys (2 spp.), 545
Aethomys namaquensis, 67
Bathyergus suillus, 1078
Cephalorhynchus heavisidii, 866
Loxodonta africana, 27
Scotophilus (2 spp.), 161
Xerus inauris, 60
South America:
Abrothrix olivaceus, 971
Amazonian small mammal abundances related to habitat structure and resource abundance, 766
Calomys (2 spp.), 1270
Calomys musculinus, 848
Ctenomys australis, 1192
Ctenomys talarum, 108, 706, 939, 1183
Gracilinanus microtarsus, 915
Lama guanicoe, 41
Microcavia australis, 834
Oncifelis geoffroyi, 1132
Philander (5 spp.), 223
pitfall traps for sampling small mammals in Neotropics, 757
Thyroptera (4 spp.), 237
South Dakota:
Odocoileus (2 spp.), 598
Southern flying squirrel, 153
Southern hairy-nosed wombats, 690
Southern mountain cavy, 834
Southern red-backed vole, 440
Space use:
Lasiorhinus latifrons, 690
Lontra canadensis, 740
Microcavia australis, 834
Neofiber alleni, 495
Oncifelis geoffroyi, 1132
Sciurus nayaritensis chiricahuae, 379
Ursus americanus floridanus, 254
Spain:
Ursus arctos, 899
Spatial distribution:
Bison bison, 539
Spatial organization:
Lynx rufus, 393
Spatial scale:
habitat associations of small mammals in Sierra Nevada, 401
Speciation, 643

Species divergence:
Marmota (7 spp.), 201
Species occurrence:
Brachylagus idahoensis, 827
Species richness:
bats in riparian corridor of the Mojave Desert, 1145
small mammal along desert-grassland continuum, 777
Species-specific model:
Procyon lotor, 717
Spermophilus:
armatus, 286
beecheyi, 401
citellus, 54, 563
lateralis, 401
mexicanus, 1086
Speothos venaticus, 723
Spilogale gracilis, 131
Spinifex hopping mouse, 215
Spiny mouse, 48
Spiny pocket mice, 1218
Spix's disk-winged bat, 1013
Spool-and-line method, in path selection by Tamias townsendii, 454
Spruce beetle, red squirrel feeding on, 909
Squirrel:
California ground, 401
Cape ground, 60
Chiricahua fox, 379
European ground, 54, 563
golden-mantled ground, 401
Kashmir flying, 784
Mexican ground, 1086
northern flying, 401
Pallas's, 246
red, 124, 909
red giant flying, 784
southern flying, 153
Uinta ground, 286
Stable isotope:
Loxodonta africana diet study, 27
Procyon pygmaeus, 501
vampire bat host preference study, 1
Staging, Rousettus amplexicaudatus embryos, 993
Static interactions:
Lontra canadensis, 740
Stellar sea lions, 303
Step matrix, 1218
Stone's sheep, 878
Stress:
Gracilinanus microtarsus, 915
Striped skunk, 131
Subadults:
Ursus arctos, 859
Submissive crouch behavior, of Lama guanicoe, 41
Subordinate behavior, of Lama guanicoe, 41
Subspecies:
infanticide differences in Equus burchelli subspecies, 35
Subterranean mammals:
Ctenomys, 1252
Ctenomys australis, 1192
Ctenomys talarum, 108, 706, 939, 1183
Suction feeding, evolution in Odontoceti, 579
Surveys:
Brachylagus idahoensis, 827
Lutra lutra, 855
Survival:
Gracilinanus microtarsus, 915
Microtus ochrogaster, 386
Microtus pennsylvanicus, 841
Neotoma cinerea occidentalis, 370
Sigmodon hispidus, 433
Sweden:
Gulo gulo, 75
Ursus arctos, 510, 859
Sylvilagus floridanus, 480
Sympatry:
Brazilian vesper mice, 1270
Clethrionomys gapperi and Peromyscus leucopus, 440
Lepus americanus and Sylvilagus nuttallii, 1175
Myotis (2 spp.), 171
Odocoileus (2 spp.), 598
Petaurista petaurista and Eoglaucomys fimbriatus, 784
Spilogale gracilis and Mephitis mephitis, 131
Systematics:
Aethomys (2 spp.), 545
Calomys (2 spp.), 1270
Microdipodops megacephalus, 1204

T
Tadarida brasiliensis, 1145
Taiwan:
Callosciurus erythraeus, 246
Talas (talar) tuco-tuco. *See* Tuco-tuco
Tallgrass prairie:
Bison bison distribution, 539
Peromyscus maniculatus, 628
Tamaraw, 1037
Tamias townsendii, 454
Tamiasciurus hudsonicus, 124, 909
Tanzania:
Phacochoerus africanus, 889
Taxonomy:
Philander (5 spp.), 223
Thyroptera (4 spp.), 237
Tayassu pecari, 519
Teeth. *See* Dentition
Tehuantepec jackrabbit, 748
Telemetry. *See* Radiotelemetry
Temperature effects, on lion mane, 193
Temperature perception:
Spermophilus citellus, 54
Temporal partitioning:
Acomys (2 spp.), 48
Territory:
Canis lupus, 280
Lontra canadensis, 740
Testis size:
Canis lupus, 80
Tete veld rat, 545
Texas:
Mephitis mephitis, 131
Spilogale gracilis, 131
Theodore Roosevelt National Park:
Cynomys ludovicianus, 295
Thermoregulation:
Chalinolobus morio, 317
Eptesicus fuscus, 361
Lasiurus borealis, 1096
Myotis evotis, 1020
Thymidine, tritiated, 554
Thyroptera:
devivoi, 237
discifera, 237
lavali, 237
tricolor, 237, 1013
Time effects, in mark-recapture estimates of small mammal populations, 618
Time-series analysis:
Clethrionomys gapperi, 440
Martes pennanti, 440
Torpor:
Chalinolobus morio, 317
Eptesicus fuscus, 361
Lasiurus borealis, 1096
Torres del Paine National Park, Chile:
Lama guanicoe, 41
Total body fat:
Procyon lotor, 717
Townsend's chipmunk, 454
Trampling, by peccaries, 519
Translocation:
Martes americana, 271
Martes pennanti, 264
Tamiasciurus hudsonicus, 124
Trap efficiency:
pitfall traps for sampling small mammals in Neotropics, 757
Tree cavity:
Eptesicus fuscus, 344
Tree-gouging, by Nycticebus coucang, 790
Trichechus manatus latirostris, 1061
Trophic structure:
Myotis (2 spp.), 171
Trout, predation by river otters, 485
Tuco-tuco:
sand-dune, 1192
Talas (talar), 108, 706, 939, 1183
Tursiops truncatus, 606

U
Uinta ground squirrel, 286
Ultrasound:
Canis lupus, 85
Ungulates:
Alces alces, 878
Antilocapra americana, 311
Cervus elaphus, 878
Oreamnos americanus, 878
Ovis dalli stonei, 878
soil ingestion by, 878
United States:
Antilocapra americana, 311
Aplodontia rufa, 139
Bison bison, 539
Brachylagus idahoensis, 827, 921
Canis latrans, 1154
Canis lupus, 80, 85
Clethrionomys gapperi, 440
Corynorhinus townsendii, 1145
Cynomys (4 spp.), 1002
Cynomys ludovicianus, 295
Delphinus (2 spp.), 606
Dipodomys merriami, 571
Enhydra lutris kenyoni, 799
Eptesicus fuscus, 470, 1145
Euderma maculatum, 1145
Eumetopias jubatus, 303
Glaucomys sabrinus, 401
Lasionycteris noctivagans, 1145
Lasiurus (3 spp.), 1145
Lasiurus borealis, 1096
Lepus americanus, 1175
Lontra canadensis, 485, 740
Lynx rufus, 393
Macrotus californicus, 1145
Martes americana, 271
Martes pennanti, 264
Mephitis mephitis, 131
Microdipodops megacephalus, 1204
Microtus (2 spp.), 401
Microtus ochrogaster, 97, 386, 446
Microtus pennsylvanicus, 841

Myotis (2 spp.), 171
Myotis (3 spp.), 1145
Neofiber alleni, 495
Neotamias (2 spp.), 401
Neotoma cinerea occidentalis, 370
Nyctinomops macrotis, 1145
Ochrotomys nuttalli, 102
Odocoileus (2 spp.), 598
Ovis canadensis, 531
Oxymycterus nasutus, 733
Peromyscus (2 spp.), 97
Peromyscus leucopus, 102, 117, 440, 1103
Peromyscus maniculatus, 401, 628
Pipistrellus hesperus, 1145
Procyon lotor, 1154
Reithrodontomys megalotis, 97
Sciurus nayaritensis chiricahuae, 379
Sigmodon hispidus, 97, 433
Spermophilus (2 spp.), 401
Spermophilus mexicanus, 1086
Spilogale gracilis, 131
Sylvilagus nuttallii, 1175
Tadarida brasiliensis, 1145
Tamiasciurus hudsonicus, 124
Tamias townsendii, 454
Tursiops truncatus, 606
Vulpes vulpes, 1154
Zalophus californianus, 606
Urban habitat:
Eptesicus nilssonii, 350
Urban-rural gradient, carnivore occurrence along, 1154
Ursus:
americanus floridanus, 254
arctos, 510, 859, 899, 1112
Utah prairie dog, 1002

V
Vampire bat, 1
Vesper mice, 1270
Vespertilionidae, 981
Vigilance behavior in Spermophilus armatus, 286
Visibility, effect on antipredator behavior in Spermophilus armatus, 286
Vocal identity:
Neophoca cinerea, 929
Vocalizations:
Cervus elaphus, 1072
Trichechus manatus latirostris, 1061
Vole:
long-tailed, 401
meadow, 842, 1261
montane, 401
prairie, 97, 386, 446, 944
Sonoma tree, 950
southern red-backed, 440
yellow-cheeked, 1261
Vulpes vulpes, 1154

W
Wallaby, bridled nailtail, 461
Wapiti (elk), 878, 1072
Warthog, 889
Washington:
Brachylagus idahoensis, 921
Enhydra lutris kenyoni, 799
Neotoma cinerea occidentalis, 370
Western harvest mouse, 97
Western long-eared myotis, 1020
Western spotted skunk, 131
Wetland habitat:
Neofiber alleni, 495
White pine seeds, vole population dynamics and, 440
White-footed mouse, 97, 102, 117, 440, 1165
White-tailed deer, 598
White-tailed prairie dog, 1002
Wing development, in Rousettus amplexicaudatus, 993
Wing measurements, of European horseshoe bats, 1241
Wing morphology:
Rhinolophus (5 spp.), 1013
Thyroptera tricolor, 1013
Wolf, gray, 80, 85, 280
Wolverine, 75
Wombat, southern hairy-nosed, 690
Woodrat:
bushy-tailed, 370
dusky-footed, 401
Wyoming:
Lontra canadensis, 485

X
Xerus inauris, 60

Y
Yellow house bat, 161
Yellow-cheeked vole, 1261
Yellowstone National Park:
Lontra canadensis, 485
Spermophilus armatus, 286
Yukon Territory:
Tamiasciurus hudsonicus, 909

Z
Zalophus californianus, 606
Zebra, male infanticide by, 35
Zoological garden:
lion mane, climate effect on, 193
male infanticide in Equus burchelli (4 subspecies), 35
Speothos venaticus, 723
Zoonoses:
Cricetomys gambianus and, 261